Eyelash Perm and Lift Cream 3 – Lash Food Lotion product code: EPC008

### Section 1: Substance/preparation- and company name

## 1.1 Product identifier and relevant identified application

Eyelash Perm & Lift Cream 3 – Lash Food Lotion

### 1.2 Supplied for

Company name: Biosmetics GmbH
Street: Ziegeleiweg 40
Place: 19399 Goldberg
Telephone: +49 (0) 451 3080090

### **Section 2: Composition/Information on ingredients**

Hazardous Ingredients: None

Allergens: None

### Section 3: Hazard identification

3.1 Main Hazard: None Known

3.2 Health Effects – Eyes: None Konwn

3.3 <u>Health Effects – Skin:</u> None Konwn

3.4 Health Effects – Ingestion: None Konwn

3.4 <u>Health Effects – Inhalation:</u> None Konwn

### Section 4: Firs-aid measures

### 4.1 Skin contact:

Wash with soap and water, rinse after washing.

### 4.2 **Eye contact:**

For direct contact, flush the affected eye with clean water. If irritation develops seek medical advice.

# Eyelash Perm and Lift Cream 3 – Lash Food Lotion product code: EPC008

### 4.3 Ingestion:

No special first aid measure.

### 4.4 Inhalation:

Remove from source to fresh air. If symptoms occur seek medical advice.

## Section 5: Fire fighting measures/Fire and explosion hazard data

Non-Flammable, non-explosive. Non hazardous releases in case of fire.

**Explosive Properties:** Not applicable

Flash Point: Not applicable

Fire Fighting Measures: Not applicable

### Section 6: Accidental release measures

### 6.1 Personal precautions:

Where suitable PPE when handling the material at all times.

## 6.2 **Environmental precautions:**

No special requirement.

### 6.3 Procedures for cleaning:

Clean the spillage up with a suitable mop.

### Section 7: Handling and storage

No special handling required.

Store in suitable airtight containers avoiding extremes of temperature and direct sunlight.

## Section 8: Exposure limit and personal protective gear

### Hand/Eye/Skin protection:

Although no special precautions are essential, in common with good manufacturing practice it is recommended that proprietary gloves, goggles and overalls are utilised.

Eyelash Perm and Lift Cream 3 – Lash Food Lotion product code: EPC008

### Section 9: Physical and chemical properties

**Appearance:** Gel

Odour: Odourless

**Colour:** White **Ph:** 6.0-6.5

Microbiology <100 cfu's per gram - No Pathogens

### Section 10: Stability and reactivity

Stability: Stable under normal conditions

**Conditions to Avoid:** Do not store above 25°C

Materials to Avoid: None Known
Hazardous Decomposition Products: None Known

### **Section 11: Information on toxicology**

**General:** This product has been assessed as safe for ist intended purpose.

## Section 12: Environmental information / Environmental toxicity

**General:** No specific adverse effect known.

### Section 13: Recommendations for disposal

**General:** No special precautions necessary.

Dispose of in accordance with local authority regulations.

### **Section 14: Information for transport Land transport**

**General:** This product is not classified as hazardous for transportation.

### **Section 15: Regulations**

**General:** Subject to Cosmetic Product (Safety) Regulations and subsequent amendments. Subject to Cosmetics Regulation (EC) No 1223/2009 and subsequent amendments.

Eyelash Perm and Lift Cream 3 – Lash Food Lotion product code: EPC008

### **Section 16: Other Information**

### 16.1 <u>Ingredients:</u>

Aqua (Water), Glycerin, Panthenol, Althea Officinalis (Marshmallow) Extract, Arnica Montana Extract, Aloe Barbadensis Extract, Prunus Ameniaca (Apricot) Fruit Extract, Rosmarium Officinalis (Rosemary) Extract, Chamomilla Recutitia (Matricaria) Flower Extract, Hydrolysed Silk, Phenoxyethanol, Ethylhexylglycerin, Sodium Hyaluronate.

## **PLEASE NOTE:**

AS THERE IS NO LEGAL REQUIREMENT TO PRODUCE AN MSDS FOR FINISHED COSMETIC PRODUCT THE ABOVE IS INTENDED TO BE A GUIDELINE ONLY!

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

INTENSIVE Eye-Make-up-Remover

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cosmetics

#### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

 $\label{lem:consult.de} \mbox{Responsible Department:} \qquad \mbox{Dr. Gans-Eichler} \qquad \mbox{e-mail: info@tge-consult.de}$ 

Chemieberatung GmbH Tel.: +49(0)251/394868-69 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone** Tel.: +49 (0) 170 2450126

number:

#### **Further Information**

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### **Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

### Special labelling of certain mixtures

EUH208 Contains benzylsalicylate, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-

500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction.

### Additional advice on labelling

Labelling according to cosmetic directive.

### 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 2 of 8

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 3 of 8

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

### 7.3. Specific end use(s)

refer to chapter 1.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Appropriate engineering controls

No special measures are necessary.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

### **Hand protection**

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 4 of 8

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

#### **Environmental exposure controls**

No special precautionary measures are necessary.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value (at 20 °C): 7,15-7,35

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

Sustaining combustion:

Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

**Oxidizing properties** 

none

Vapour pressure: not determined

Density: not determined

Water solubility: miscible.

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

not determined

Viscosity / kinematic:

not determined

Flow time:

not determined

vapour density:

not determined

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 5 of 8

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined

9.2. Other information

Solid content: not determined

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

#### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

The product has not been tested.

#### 12.2. Persistence and degradability

The product has not been tested.

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 6 of 8

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

### Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover				
Revision date: 03.11.201	Product code: 657	Page 7 of 8		

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: Other information**

### Changes

Rev. 1.00; Initial release: 03.11.2017

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

according to Regulation (EC) No 1907/2006

### **INTENSIVE Eye-Make-up-Remover**

Revision date: 03.11.2017 Product code: 657 Page 8 of 8

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

### Relevant H and EUH statements (number and full text)

EUH208 Contains benzylsalicylate, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-

500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction.

#### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

### Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Eyelash Perm Cream 2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cosmetics

### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler

Chemieberatung GmbH Tel.: +49(0)251/394868-69 Raesfeldstr. 22 www.tge-consult.de

e-mail: info@tge-consult.de

D-48149 Münster

1.4. Emergency telephone

Tel.: +49 (0) 170 2450126

number:

#### **Further Information**

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### Additional advice on labelling

Labelling according to cosmetic directive.

### 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7722-84-1	Hydrogen peroxide solution %			1 - < 5 %
	231-765-0	008-003-00-9		
	Ox. Liq. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, STOT SE 3; H271 H332 H302 H314 H335			
8042-47-5	White mineral oil (petroleum)			1 - < 5 %

according to Regulation (EC) No 1907/2006

		Eyelash Perm Cream 2			
Revision date: 27.02.2018		Product code: 301		Page 2 of 1	
	232-455-8		01-2119487078-27		
	Asp. Tox. 1; H304				
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts			< 1 %	
	273-258-7		01-2119956652-31		

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Sulfur oxides.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 3 of 10

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Wear suitable protective clothing. See section 8.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

#### 7.3. Specific end use(s)

refer to chapter 1.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7722-84-1	Hydrogen peroxide	1	1.4		TWA (8 h)	WEL
		2	2.8		STEL (15 min)	WEL

### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
8042-47-5	White mineral oil (petroleum)					
Worker DNEL, long-term dermal systemic 220 mg/kg bw						
Worker DNEL,	long-term	inhalation	systemic	160 mg/m³		
Consumer DNEL, long-term		oral	systemic	40 mg/kg bw/day		

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 4 of 10

Consumer DNEL, long-term		dermal	systemic	92 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	35 mg/m³
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts			
Consumer DN	EL, long-term	inhalation	systemic	85 mg/m³
Consumer DNEL, long-term		dermal	systemic	2440 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	24 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	285 mg/m³
Worker DNEL,	long-term	dermal	systemic	4060 mg/kg bw/day

#### **PNEC** values

CAS No	Substance			
Environmenta	Environmental compartment Value			
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts			
Freshwater (in	termittent releases)	0,052 mg/l		
Freshwater sediment 6,75 mg/kg				
Micro-organisms in sewage treatment plants (STP) 550 mg/l				
Freshwater	0,0204 mg/l			
Marine water	0,00204 mg/l			
Marine sediment		0,675 mg/kg		
Soil		1,35 mg/kg		

### 8.2. Exposure controls

### Appropriate engineering controls

No special measures are necessary.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

#### **Hand protection**

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 5 of 10

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -exceeding exposure limit values
- -insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: NO - P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### **Environmental exposure controls**

No special precautionary measures are necessary.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value (at 20 °C):

### Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

Sustaining combustion:

Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

**Oxidizing properties** 

none

Vapour pressure: not determined

Density: not determined

Water solubility: miscible.

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined

according to Regulation (EC) No 1907/2006

	Eyelash Perm Cream 2	
Revision date: 27.02.2018	Product code: 301	Page 6 of 10

Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined
Evaporation rate: not determined
Solvent separation test: not determined
Solvent content: not determined

9.2. Other information

Solid content: not determined

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Sulfur oxides.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7722-84-1	Hydrogen peroxide solut	ion %					
	oral	LD50 (4 1026) mg/kg	426-	Rat (OECD 401)	ECHA Dossier		
	dermal	LD50 >: mg/kg	2000	Rabbit	ECHA Dossier		
	inhalative (4 h) aerosol	LC50 (> 50% H2O2) m	>0,17 - ng/l		ECHA Dossier		
	inhalative gas	ATE 4	500				
8042-47-5	White mineral oil (petrole	eum)					
	oral	LD50 >: mg/kg	5000	Rat	ECHA Dossier		
	dermal	LD50 >: mg/kg	2000	Rabbit.	ECHA Dossier		
	inhalative (4 h) aerosol		·5 mg/l	Rat	MSDS extern.		

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 7 of 10

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7722-84-1	Hydrogen peroxide solution %						
	Acute fish toxicity	LC50 mg/l	16,4	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	1,38		Skeletonema costatum	ECHA Dossier	
	Acute crustacea toxicity	EC50	2,4 mg/l	48 h	Daphnia pulex	ECHA Dossier	
8042-47-5	White mineral oil (petrole	um)					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Fish	MSDS extern.	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	MSDS extern.	

### 12.2. Persistence and degradability

The product has not been tested.

тис р	The product has not been tested.						
CAS No	Chemical name						
	Method Value d Source						
	Evaluation						
7722-84-1	Hydrogen peroxide solution %						
	OECD 209 >99% 28 ECHA Dossier						
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts						
	OECD 301D/ EEC 92/69/V, C.4-E 77% 30 ECHA-Dossier						
	Readily biodegradable (according to OECD criteria).						

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 8 of 10

#### 12.6. Other adverse effects

No data available.

#### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Waste disposal number of contaminated packaging

150106 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

l and	trans	nort	$/\Lambda$ DD	/DID/

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 9 of 10

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

refer to chapter 6-8

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

#### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

### **SECTION 16: Other information**

### Changes

Rev. 1.00; Initial release: 27.02.2018

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

according to Regulation (EC) No 1907/2006

### **Eyelash Perm Cream 2**

Revision date: 27.02.2018 Product code: 301 Page 10 of 10

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

#### Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
<b>⊔</b> /12	Harmful to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects.

EUH210 Safety data sheet available on request.

#### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

### **Relaxing Eye Cream**

Revision date: 27.02.2018 Product code: 834. Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Relaxing Eye Cream

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cosmetics

#### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49(0)251/394868-69 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone

Tel.: +49 (0) 170 2450126

number:

#### **Further Information**

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### Additional advice on labelling

Labelling according to cosmetic directive.

### 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
122-99-6	2-phenoxyethanol			< 1 %	
	204-589-7 603-098-00-9				
	Acute Tox. 4, Eye Irrit. 2; H302 H319				
1117-86-8	octane-1,2-diol				

according to Regulation (EC) No 1907/2006

		Relaxing Eye Cream		
Revision date: 27.02.2018		Product code: 834.	Page 2 of 9	
	214-254-7			
	Eye Irrit. 2; H319			

Full text of H and FUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

according to Regulation (EC) No 1907/2006

### **Relaxing Eye Cream**

Revision date: 27.02.2018 Product code: 834. Page 3 of 9

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

#### 7.3. Specific end use(s)

refer to chapter 1.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls

### Appropriate engineering controls

No special measures are necessary.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

#### Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

### **Relaxing Eye Cream**

Revision date: 27.02.2018 Product code: 834. Page 4 of 9

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them

before taking off and air them well.

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS

500.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

#### **Environmental exposure controls**

No special precautionary measures are necessary.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Cream

Colour: not determined Odour: characteristic

pH-Value (at 20 °C): 6 - 7

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Not determined

Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density (at 20 °C): ~1 g/cm³

Water solubility: miscible.

according to Regulation (EC) No 1907/2006

### **Relaxing Eye Cream**

Revision date: 27.02.2018 Product code: 834. Page 5 of 9

### Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined not determined Viscosity / kinematic: not determined Flow time: Vapour density: not determined Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined

9.2. Other information

Solid content: not determined

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
122-99-6	2-phenoxyethanol						
	oral	LD50 1850 mg/kg	Rat	ECHA Dossier			
1117-86-8	octane-1,2-diol						
	oral LD50 >2000 Rat. ECHA Dossier mg/kg						

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

### **Relaxing Eye Cream**

Revision date: 27.02.2018 Product code: 834. Page 6 of 9

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
122-99-6	2-phenoxyethanol							
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus	ECHA Dossier		
	Acute algae toxicity	ErC50	443 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier		
	Acute crustacea toxicity	EC50	488 mg/l	48 h	Daphnia magna	ECHA Dossier		
	Fish toxicity	NOEC	(23) mg/l	34 d	Pimephales promelas	ECHA Dossier		
	Crustacea toxicity	NOEC mg/l	(9,43)	21 d	Daphnia magna	ECHA Dossier		
1117-86-8	octane-1,2-diol							
	Acute fish toxicity	LC50 mg/l	2,2-22	96 h	Danio rerio	ECHA Dossier		
	Acute algae toxicity	ErC50	35 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier		
	Acute crustacea toxicity	EC50	174 mg/l	48 h	Daphnia magna	ECHA Dossier		
	Algea toxicity	NOEC	14 mg/l	3 d	Pseudokirchnerella subcapitata	ECHA Dossier		

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value		d	Source
	Evaluation				
122-99-6	2-phenoxyethanol				
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	90%		28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).				
1117-86-8	octane-1,2-diol				
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	85%		28	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)				

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

according to Regulation (EC) No 1907/2006

	Relaxing Eye Cream	
Revision date: 27.02.2018	Product code: 834.	Page 7 of 9

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,2
1117-86-8	octane-1,2-diol	2,1

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

### Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

### Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

### Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

**14.1. UN number:** No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

Revision date: 27.02.2018 Product code: 834. Page 8 of 9

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

### **Additional information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

### **SECTION 16: Other information**

#### Changes

Rev. 1.00; Initial release: 27.02.2018

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

according to Regulation (EC) No 1907/2006

### **Relaxing Eye Cream**

Revision date: 27.02.2018 Product code: 834. Page 9 of 9

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed. H319 Causes serious eye irritation.

EUH210 Safety data sheet available on request.

### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

## Section 1: Substance/preparation- and company name

### 1.1 Product identifier and relevant identified application

Polymer, ingredient for cosmetic agents

### 1.2 Supplied for

Company name:

Biosmetics GmbH

Street:

Ziegeleiweg 40

Place:

19399 Goldberg

Telephone:

+49 (0) 451 3080090

### Section 2: Composition/specifications on components

### 2.1. Chemical characteristics INCI-name:

VP/VA copolymer (and) Isopropanol Preparation based on: vinyl acetate, 1-vinyl 2- pyrrolidone copolymer (contents (W/W): 50 %). propan-2-ol (contents (W/W): 50 %)

Hazardous ingredient: Propan-2-ol Contents (W/W): 50 %: CAS-Reg No: 67-63-0, EC 200-661-7, Index No: 603- 117-00-0

Warning symbol letter(s), R phrases: F: R11; Xi: R36; R67

If hazardous substances are named, the wording for the warning symbols and risk statements is specified in section 16.

### Section 3: Hazard identification

### 3.1 Possible hazards:

Irritant to eyes. highly inflammable.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

### Section 4: Firs-aid measures

### 4.1 General recommendations:

Remove contaminated clothing.

### 4.2 After inhaling:

Stay calm, fresh air, contact a doctor.

### 4.3 Following skin contact:

Wash-off thoroughly with soap and water.

### 4.4 Following eye contact:

Flush immediately and thoroughly for at least 15 minutes with eyelids wide open under flowing water;

Call an eye doctor.

## 4.5 After swallowing:

Rinse mouth immediately, then drink a copious amount of water; call a doctor.

### Section 5: Measures to combat fire

## 5.1 Suitable fire extinguishers:

Sprayed water, foam, carbon dioxide, sand

### 5.2 Special hazards arising:

Carbon dioxide, nitrous gases, cyanide can be released in case of fire.

### 5.3 Specific protective gear:

Wear a self-contained breathing apparatus

### 5.4 Further information:

Dispose of fire residue and contaminated fire-fighting water according to official regulations.

## Section 6: Measures in case of unintentional release

## 6.1 Individual preventive measures:

Ensure proper ventilation.

### 6.2 Measures for environmental protection:

Prevent entry into these wagesystem.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

### 6.3 Procedures for cleaning and uptake:

For large quantities: contain/dam-up. Dispose of in well-sealed containers.

### Section 7: Handling and storage

### 7.1 General:

Handling Observe the usual precautionary measures for handling chemicals.

### 7.2 Fire-and explosion protection:

Keep away from sources of combustion – do not smoke. Use water to cool containers endangered by heat.

### 7.3 Further informationon/storage conditions:

Keep containers tightly sealed and store in a cool, well- ventilated location

### Section 8: Exposure limit and personal protective gear

### 8.1 Components with workplace-related limit values to be monitored:

67-63-0: Propan-2-ol

TWA-value: 500 mg/m3; 200 ppm (MAK (CH)) STEL-value: 1,000 mg/m3; 400 ppm (MAK (CH)) Peak limit/exceedance factor: 4x15 MIN (MAK (CH))

No grounds to fear risk of reproductive injury if workplace limit values and biological limit

values (BLV) are observed.

### 8.2 Personal protective gear:

Respiratory protection: Gas filter for organic gases/vapours (boiling point > 65 °C, e. g.

EN 14387 Type A).

Hand protection: Suitable materials including longer, direct contact (recommended:

protection index 6, corresponds to > 480 minutes permeation

according to EN 374):

Butyl rubber (butyl) – 0.7 mm layer thickness Fluorelastomer (FKM) – 0.7 mm layer thickness Nitrile rubber (NBR) – 0.4 mm layer thickness

Additional recommendation:

The information derives from in-house testing, literature and information from glove manufacturers, or is derived from

conclusion by analogy for similar materials. Note should be taken that the actual duration of use for a chemically protective glove can be clearly shorter in practice than the determined permeation

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

time, due to many influencing factors (e.g. temperature). Due to the large number of types, the manufacturer's instructions are to

be followed.

Eye protection: Safety glasses with side shields (frame goggles) (e.g. EN 166)

General protection and hygiene measures: Avoid inhaling vapours.

## Section 9: Physical and chemical properties

Information on: propan-2-ol

Form: liquid Colour: light

yellow

Odour: perceptible

Boiling point: 82°C

Flashpoint: approx. 13°C

Lower explosion limit: 2% (V)
Upper explosion limit: 12.0%(V)

Ignition temperature: approx. 400°C

Vapour pressure: approx. 35 hPa (20°C)

approx. 220hPa (50°C)

Density: approx 0.95-1.0g/cm3

Solubility in water: approx. 20°C dispersible

Viscosity, dynamic: approx. 3,000 mPa.s (25°C)

### Section 10: Stability and reactivity

### 10.1 Thermal decomposition: ca. 80°C

Thermal decomposition above the indicated temperature is possible.

### 10.2 Dangerous reactions:

No dangerous reactions if the regulations/recommendations for storage and handling are followed.

### 10.3 Hazardous decomposition products:

No hazardous decomposition products if the regulations/recommendations for storage and handling are followed.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

## Section 11: Information on toxicology

### Information on vinyl acetate, 1 -vinyl 2-pyrrolidon copolymer:

### 11.1 Acute toxicity:

Evaluation of acute toxicity: No further information available.

### 11.2 Irritant effect:

Evaluation of irritant effect: No further information available

### 11.3 Sensitisation:

Evaluation of sensitisation: Not skin sensitising in tests on animals.

Guinea pig maximisation test (GPMT): not sensitising (OECD- guideline 406)

### 11.4 Gene toxicity:

Evaluation of mutagenicity:

No effect altering the genetic material was found in tests on bacteria and on mammalian cells.

### 11.5 Developmental toxicity:

Evaluation of teratogenicity:

The substance showed no properties of altering genetic material in tests on mammals.

### Section 12: Environmental information / Environmental toxicity

### 12.1 Toxity Information on vinyl acetate, 1 -vinyl 2-pyrrolidon copolymer:

Evaluation of aquatic toxicity:

High probability of harmlessness for aquatic organisms if acute. Appropriate introduction of low concentrations in biological sewage systems should not lead to interference with decomposition activities of activated sludge.

Fish toxicity:

LC50 (96 h) > 10,000 mg/l, Brachydanio rerio (OECD- guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (Guideline 79/831/EWG, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l (biomass), Scenedesmus subspicatus (OECD-quideline 201, static)

# 12.2 <u>Persistence and decomposition information on vinyl acetate, 1 -vinyl 2-pyrrolidon</u> copolymer:

Evaluation of biodecomposition and elimination (H20):

Difficult to eliminate from water.

according to Regulation (EU) No 1907/2006

## Lash Bond product code: ELG002

Information on elimination:

approx. 2 0 - 3 0 % DOC- decrease (15 d) (OECD-guideline 302 B) (aerob, activated sludge, adapted) Difficult to eliminate from water.

## 12.3 Bioaccumulation potential information on vinyl acetate, 1-vinyl 2-pyrrolidon copolymer:

Bioaccumulation potential:

Based on its structural properties, the polymer portion is not Accumulation is not expected in organisms.

## Section 13: Recommendations for disposal

National and local legal regulations are to be observed.

## Section 14: Information for transport Land transport

Proper shipping name (description of goods)

Transport hazard class(es)

Pachaging group

ADR UN number Proper shipping name (description of goods) Transport hazard class(es) Pachaging group	UN1866 Resin Solution (contains ISOPROPANOL) 3 III
RID UN number Proper shipping name (description of goods) Transport hazard class(es) Pachaging group	UN1866 Resin Solution (contains ISOPROPANOL) 3 III
Barge freight UN number Proper shipping name (description of goods) Transport hazard class(es) Pachaging group	UN1866 Resin Solution (contains ISOPROPANOL) 3 III
Ocean freight UN number Proper shipping name (description of goods) Transport hazard class(es) Pachaging group	UN1866 Resin Solution (contains ISOPROPANOL) 3 III
Air transport UN number	UN1866

3 Ш

Resin Solution (contains ISOPROPANOL)

according to Regulation (EU) No 1907/2006

## Lash Bond product code: ELG002

## Section 15: Regulations

The Safety Data Sheet is compiled according to the current regulations of the European Union (designation) / national regulations EU-guideline 1999/45/EU ('Preparations guideline').

#### Section 16: Other Information

## 16.1 Danger symbol(s):

F Highly flammable:



X Irritant:



#### 16.2 R-Sentences:

R 11 Highly flammable

R 36 Irritant to eyes

R 67 Vapours can cause drowsiness and light headedness

#### 16.3 S-sentences:

S2 Keep out of reach of children

S7 Keep container tightly sealed

S16 Keep away from sources of combustion- no smoking

S24 Avoid contact with skin

S26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

#### 16.4 Weak water pollutant.

#### 16.5 Other regulations:

Complete wording for hazard symbols and risk sentences if "Dangerous contents" named in Section 2 and 16.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

The preceding information in this material safety data sheet is based on our current knowledge and experience and describes the product with regard to safety requirements with no limit or warranty.

The information is in no way to be viewed as a description of the quality of the goods (product specification). Agreement on quality or product suitability for a specific application cannot be derived from our information in the safety data sheet. Any protective rights or existing laws and provisions are to be observed by the recipient of our product under their own responsibility.

#### DISCLAIMER:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

according to Regulation (EC) No 1907/2006

#### Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Eyelash Perm Cream 1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cosmetics

#### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49(0)251/394868-69

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone** Tel.: +49 (0) 170 2450126

number:

#### **Further Information**

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:
May be corrosive to metals.

Harmful if swallowed.

May cause an allergic skin reaction.

#### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

ammonium mercaptoacetate ammonium hydrogencarbonate

Signal word: Warning

Pictograms:





## **Hazard statements**

H290 May be corrosive to metals. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

according to Regulation (EC) No 1907/2006

#### **Eyelash Perm Cream 1**

Revision date: 27.02.2018 Product code: 201 Page 2 of 12

#### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to local/regional/national/international regulations.

#### Additional advice on labelling

Labelling according to cosmetic directive.

## 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name							
	EC No	Index No	REACH No					
	Classification according to Regulat	Classification according to Regulation (EC) No. 1272/2008 [CLP]						
5421-46-5	ammonium mercaptoacetate			5 - < 10 %				
	226-540-9		01-2119531489-31					
	Met. Corr. 1, Acute Tox. 3, Skin Se							
1066-33-7	ammonium hydrogencarbonate							
	213-911-5		01-2119486970-26					
	Acute Tox. 4; H302							
1336-21-6	Ammonia %		< 1 %					
	215-647-6	007-001-01-2	01-2119488876-14					
	Skin Corr. 1B, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H314 H335 H400 H411							

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

according to Regulation (EC) No 1907/2006

#### Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 3 of 12

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Further information on handling

General protection and hygiene measures: refer to chapter 8

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

according to Regulation (EC) No 1907/2006

## **Eyelash Perm Cream 1**

Revision date: 27.02.2018 Product code: 201 Page 4 of 12

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

#### 7.3. Specific end use(s)

refer to chapter 1.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
5421-46-5	ammonium mercaptoacetate			
Worker DNEL,	long-term	dermal	local	0,004 mg/cm <sup>2</sup>
Worker DNEL,	long-term	dermal	systemic	2,06 mg/kg bw/day
1066-33-7	ammonium hydrogencarbonate			
Worker DNEL,	long-term	dermal	systemic	57 mg/kg bw/day
Worker DNEL,	long-term	inhalation	local	62,5 mg/m³
Worker DNEL,	long-term	inhalation	systemic	62,5 mg/m³
Worker DNEL,	acute	inhalation	local	160,7 mg/m³
Worker DNEL,	acute	inhalation	systemic	160,7 mg/m³
Consumer DN	Consumer DNEL, long-term		local	13,33 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	13,33 mg/m³
Consumer DN	EL, acute	inhalation	local	143,91 mg/m³
Consumer DNE	EL, acute	inhalation	systemic	143,91 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	34,2 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL,	long-term	inhalation	local	14 mg/m³
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m³
Worker DNEL, acute		inhalation	local	36 mg/m³
Consumer DNEL, acute		dermal	systemic	68 mg/kg bw/day
Consumer DNE	EL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DNE	EL, long-term	inhalation	local	2,8 mg/m³

according to Regulation (EC) No 1907/2006

## **Eyelash Perm Cream 1**

Revision date: 27.02.2018 Product code: 201 Page 5 of 12

Consumer DNEL, acute	inhalation	systemic	23,8 mg/m³
Consumer DNEL, acute	inhalation	local	7,2 mg/m³
Consumer DNEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	6,8 mg/kg bw/day

#### **PNEC** values

CAS No	Substance			
Environmenta	Il compartment	Value		
5421-46-5 ammonium mercaptoacetate				
Freshwater		0,038 mg/l		
Marine water		0,0038 mg/l		
1066-33-7	ammonium hydrogencarbonate			
Freshwater		0,37 mg/l		
Freshwater (ii	ntermittent releases)	0,63 mg/l		
Marine water		0,037 mg/l		
Marine water	(intermittent releases)	0,63 mg/l		
Freshwater se	ediment	0,1332 mg/kg		
Marine sedim	ent	0,01332 mg/kg		
Micro-organis	ms in sewage treatment plants (STP)	1347 mg/l		
Soil		74,9 mg/kg		
1336-21-6	Ammonia %	·		
Freshwater		0,0011 mg/l		
Freshwater (intermittent releases)		0,0068 mg/l		
Marine water		0,0011 mg/l		

#### 8.2. Exposure controls





## Appropriate engineering controls

Provide adequate ventilation.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

#### Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

#### Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 6 of 12

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -exceeding exposure limit values
- -insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: AK-P2

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### **Environmental exposure controls**

No special precautionary measures are necessary.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state: viscous, fluid Colour: white

Odour: characteristic

pH-Value: 8,0 - 8,7

#### Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Plash point:

Sustaining combustion:

Not sustaining combustion

not determined
not determined
Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Gas: not determined

Decomposition temperature: not determined

**Oxidizing properties** 

none

Vapour pressure: not determined

according to Regulation (EC) No 1907/2006

<b>Eyelash Perm Cream</b>	1
---------------------------	---

Product code: 201 Revision date: 27.02.2018 Page 7 of 12

Density (at 20 °C): ~1,0 g/cm3 Water solubility: not determined

Solubility in other solvents

not determined Partition coefficient: Viscosity / dynamic: Viscosity / kinematic:

not determined not determined not determined Flow time: not determined Vapour density: not determined Evaporation rate: not determined not determined Solvent separation test: not determined Solvent content:

9.2. Other information

Solid content: not determined

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

#### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No data available.

#### **Acute toxicity**

Harmful if swallowed.

#### **ATEmix calculated**

ATE (oral) 694,4 mg/kg

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
5421-46-5	ammonium mercaptoacetate								
	oral	LD50 71 m	ng/kg	Rat. (OECD 402)	ECHA Dossier				
	dermal	LD50 > 14 mg/kg	30	Rat. (OECD 402)	ECHA Dossier				
1066-33-7	ammonium hydrogencarbonate								

according to Regulation (EC) No 1907/2006

# Eyelash Perm Cream 1 Revision date: 27.02.2018 Product code: 201 Page 8 of 12

	oral	LD50 mg/kg	1576	Rat.	ECHA dossier	
1336-21-6	Ammonia %					
	oral	LD50 mg/kg	(350)	Rat.	GESTIS	
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (ammonium mercaptoacetate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
5421-46-5	ammonium mercaptoacetate								
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier			
	Acute algae toxicity	ErC50	27 mg/l		Desmodesmus subspicatus	ECHA Dossier			
1066-33-7	ammonium hydrogencarbonate								
	Acute fish toxicity	LC50	173 mg/l		Oncorhynchus mykiss (Rainbow trout)	US EPA			
1336-21-6	Ammonia %								
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external			
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external			
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external			

#### 12.2. Persistence and degradability

The product has not been tested.

The product has not been tooled.							
CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	-	-				
5421-46-5	ammonium mercaptoacetate						
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F	100%	28	MSDS external			
	Easily biodegradable (concerning to the criteria of the OECD)						

according to Regulation (EC) No 1907/2006

#### **Eyelash Perm Cream 1**

Revision date: 27.02.2018 Product code: 201 Page 9 of 12

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5421-46-5	ammonium mercaptoacetate	-2,99 (pH = 7)
1066-33-7	ammonium hydrogencarbonate	-2,4
1336-21-6	Ammonia %	-1,38

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

#### Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8

according to Regulation (EC) No 1907/2006

## **Eyelash Perm Cream 1**

Revision date: 27.02.2018 Product code: 201 Page 10 of 12



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 III

 Hazard label:
 8



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

NO

223, 274

5 L

E1

EnS:

F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: A3 A803 Limited quantity Passenger: 1 L

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1		
Revision date: 27.02.2018	Product code: 201	Page 11 of 12
Dancanger I O	V044	

Passenger LQ: Y841 Excepted quantity: E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

## **SECTION 16: Other information**

#### Changes

Rev. 1.0; Initial release: 27.02.2018

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

according to Regulation (EC) No 1907/2006

## **Eyelash Perm Cream 1**

Product code: 201 Revision date: 27.02.2018 Page 12 of 12

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Sens. 1; H317	Calculation method

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)